

D.A.V. Public School, Kailash Hills

Near 'C' Block Market, Kailash Hills, East of Kailash,
New Delhi-110065.

TENDER NOTICE

Sealed tender is invited from reputed transporters for plying buses for transportation of school students from various areas of Delhi on the terms and conditions mentioned in the Tender. Tender proforma, available on the school website. The last date of submission of Tender/ Bid in the School Office is 06-06-2026 up to 2 pm.

PRINCIPAL

Details for Inviting Quotations

Type of Vehicle: Buses(as per RTO norms)

Service Duration: 1 July 2026 to 31 May 2027

Tender Money: Rs 500/- (Non refundable)

Note: Vehicles must comply with all safety norms(speed governors, CCTV, lady attendant etc)

Interested parties may submit their sealed quotations along with company profile, relevant documents, and tender money by **6 June 2026**, before 2 pm.

School Route List 2026-27

Route No.	Morning	Afternoon	Seater	Distance (one side)
2	Giri Nagar, Govindpuri, Gali No. (1-13), Pooja Masala, DDA Flats (Reliance) Tuglakabad, Tuglakabad Extn.	Tuglakabad Extn. Tuglakabad, DDA (Reliance) Pooja Masala, Govind puri Gali no. (1-13), Giri Nagar	42	8 K.M.
5	Masjid Moth, Shiv Mandir (Ansal Plaza) Kotla Andrews Ganj	Andrews Ganj, Kotla, Shiv Mandir (Ansal Plaza) Masjid Moth	52	6 K.M.
6	Molarband School, Meethapur Chowk, Molarband Gaon Jaithpur More, Pehlad Pur, Shiv Mandir, Vishkarma Colony Tekhand, C Lal Chowk	C Lal Chowk, Tekhand, Vishkarma Colony, Shiv Mandir Pehladpur, Jaitpur More, Molarband Gaon, Meetapur Gaon, Meethapur Chowk, Molarband School	52	16 K.M.
7	Lohia Pul, Raj Model School, Durga Mandir, Jaitpur Tanki Road, Badarpur NTPC Gate, Ali Gaon, Metro Station (Haldiram)	Metro Station (Haldiram), Ali Gaon, NTPC Gate, Badarpur, Tanki Road, Jaitpur, Durga Mandir, Raj Model School Lohia Pul	52	15 K.M.
8	Okhla Gali No. (03 to 09) Shaeen Bagh Thoker No. (04-08), Batla House, Sukhdev Vihar Metro Station	Sukhdev Vihar Metro Station, Batla House, Shaeen Bagh Thoker No. (04-08), Okhla Gali No. (03 to 09)	52	15 K.M.
9	Jasola Gate No. (2-3), jasola Metro Station	Jasola Metro Station, Jasola Gate No. (2-3)	35	10 K.M.

PROFORMA FOR INVITING QUOTATIONS FOR PLYING BUSES ON DIFFERENT ROUTES

**The Principal
DAV Public School
Kailash Hills
New Delhi-110065**

Sub: Quotation for plying buses on school routes w.e.f. 01.07.2026 in DAV Public School, Kailash Hills, New Delhi-110065

Madam,

Kindly refer to your advertisement appeared in your website, I/We hereby submit the quotation for plying buses on different routes of the school on contract basis as per detail given below:

1. Name of the Tenderer _____

2. Address : _____

3. Mobile No. _____

4. Details of previous Contracts executed till date : _____

(Please give details of contracts executed previously in a separate sheet, along with documentary proof thereof)

5. No. of own / associated buses : _____

(a) Regn. No. : _____

(b) Model : _____

(c) Seating Capacity : _____

6. PAN Card No. : _____

7.(a) P.F. / EPF no. (If Any) : _____

(b) ESI No : _____

(c) No. of Routes Applied _____

9. Earnest Money Deposit @ Rs. 4000/-per route for _____ No.(s)of Routes : D.D. No. _____
Dated _____ for Rs. _____ drawn on _____ in favour of
D.A.V. Public School, Kailash Hills. Is enclosed

Certified that all the terms and conditions mentioned in the quotation form are acceptable to me/us.

Dated : _____

Signature of the Tenderer

Encl: Document attached--(please tick)

1)Photocopies of R.C. buses

YES

NO

2)PAN Card

3))Aadhaar Card

4) D.D./Cheque for Rs. _____

TENDER NOTICE

Ref No.:

Dated:30/05/2026

1	Name of the works	Renovation of 8 Classrooms at First Floor
2	Time of completion	45 Days
3	Date of Tender Notification	30.05.2026
4	Last Date/Time for Receipt of Bids	08.06.2026
5	Cost of Tender Document	Rs 2500/-
6	Estimated value of tender	Rs 25,00,000/-
7	Name and Address of office Inviting Tender	DAV Public School, Near C – block, Kailash Hills, Delhi - 110065
8	Contact Number	011-26842283
9	EMD Deposit	Rs 50,000/-

GENERAL TERMS & CONDITIONS

1. The school shall not be liable to pay any tax, freight etc. which has not been expressly stipulated in the quotation in the event of acceptance of the quotation. The school shall deduct TDS as per rules of Income Tax Department, Government of India
2. The undersigned does not bind him to accept the lowest quotation and reserves the right to accept, the quotation in whole or in part i.e., with respect to the entire article mentioned in the attached statement or in respect of one or more than one articles specified in the attached statement as he/she may decide.
3. On acceptance of the quotation it will become a contract and the contractor shall be bound by the terms and conditions of the quotation as well. Contractor must fulfill the terms and conditions of Government of Delhi as well as Govt. of India.
4. The quantity of articles indicated in the attached statement may be increased or decreased at the discretion of the undersigned without assigning any reason thereof.

5. The rates quoted by the contractor shall hold good upto finishing of the renovation Works. No amendment will be accepted in the rate of renovation.
6. The description of the said renovation works in details can be had from the office of from the Principal of DAV Public school, Kailash Hills, Delhi. The payment will be made to the contractor through A/c payee cheque as per the running bills submitted after the finishing of the work and duly approved by the architect.
7. Quotations which do not comply with the above conditions are liable to be rejected.
8. Non-completion of works within the stipulated time, the contractor will be liable to pay penalties as decided by the Building sub-committee, except the special circumstances if any.
9. Defect Liability Period :A security deposit of 10% to be deducted from the final bill upto defect liability period i.e. 12 months.
10. The rates are inclusive of all taxes and duties.
11. Work should be carried as per CPWD specifications.
12. No damage is caused to school property while execution of work otherwise the contractor will be liable to make for loss/damage.
13. The contractor should follow all compliances of local authorities i.e. MCD/DDA etc.
14. The Contractor shall verify all quantities, dimensions, and BOQ items before commencement of work after award of tender, and any discrepancy or extra item identified shall be intimated in writing to the Architect and School Management prior to execution of the affected work, failing which no extra item or additional quantity shall be considered valid or payable, and written approval from the School Management is mandatory before proceeding with any extra or additional work.

PRINCIPAL

BOQ for Classroom (First Floor) at DAV Public School, Kailash Hills, Delhi

Dated : 05 - 06 - 2026

S. No.	DSR Code No.	Description of Items	Qty.	Unit	Rate	Amount
	1	WIRING				
1	1.10	wiring for light point/exhaust fan point/call bell point with 1.5 sqmm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5mm sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.				
	1.10.3	Group C				
2	1.13.4	Point wiring for power plug point in concealed conduit with 2 x 6 sq.mm + 1 x 4 sq.mm earth copper conductor FR PVC insulated wire, drawn in suitable size PVC conduit, including modular switch, socket outlet, earth continuity conductor, switch box, cover plate, connections, testing and commissioning complete as required.	18	nos.		
			2.00	nos.		
	8.00	CLADDING WORK				
3	8.31	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge , in skirting,risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per Sam, including pointing in white cement mixed with pigment of matching shade complete.	40	Sqm		
	11	FLOORING				
4	11.26	Kota stone slab flooring over 20mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1:4 (1 cement : 4 coarse sand):				
	11.26.1	25 mm thick	46.85	Sqm		
	13	FINISHING				
5	13.14	15mm cement plaster 1:2 (1 cement : 2 stone dust) on the rough side of single or half brick wall,including dismantling of old internal plaster.	50.00	Sqm.		
6	13.47	Finishing walls with Premium Acrylic Smooth interior paint with Silicone additives of required shade				
	13.47.1	New work (Two or more coats applied @ 1.43 ltr/ 10 sqm. over and including priming coat of interior primer applied @ 2.20 kg/ 10 sqm). Make : Asian, Berger, Nerolac	40.00	Sqm		
7	13.80	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. Make :- JK, Birla	40.00	Sqm		
	15	DISMANTLING AND DEMOLISHING				
8	15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, all loads including all lifts involved. Note: Malba quantity is equal to dismantled material / items	1.00	trip		
	26	New technologies and materials				

9	26.22	<p>Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595 mm of approved texture, design and patterns as per CPWD Specification 2019, to be laid in true horizontal level suspended on interlocking metal T-Grid of hot dipped galvanised iron section of 0.33 mm thick (galvanized @ 120 grams per sqm including both sides) comprising of main-T runners of size 24x38 mm of length 3000 mm, cross - T of size 24x32 mm of length 1200 mm and secondary intermediate cross-T of size 24x32 mm of length 600 mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm long dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 76x25x25x1.6 mm fixed with grid and Z cleat of size 25x37x25x1.6 mm thick with precut hole on both 25 mm flange to pierce into 12x50 mm or even bigger size dash fastener if require, fixed with Glavanised</p>				
	26.22.2	<p>With 15 mm thick tegular/butt edged without perforation plain/designer light weight calcium silicate Anti-Microbial Bio-Safe coated false ceiling tiles Confirming to JIS-Z2801 and ASTM G-21</p>	40.00	Sqm		
10	19	<p>Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation : B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS : 374 - 2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise = 75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required.</p>	6	nos.	-	-
11	NS	<p>NON - SCHEDULED Supply, Installation, Testing and Commissioning of following surface/recessed type fluorescent tube lighting fixtures complete with lamps, control gear and low cost CW ballasts, ceiling fan and bracket fans (make :phillips,wipro,Syska,havells or equivalent 2' x 2' Panel light</p>	8	nos.	-	-
12	NS	<p>Providing and fixing Tile Coping complete as per instructions at site</p>	26	Rft	-	-
					Total	-
					Grand Total	-
Notes :						
a	All the rates are inclusive of GST					
b	All the rates are as per DSR 2023 & DSR 2022 (Electrical) wherever DSR code number is mentioned.					
c	Few items have been foreseen in shifting of services and few extra items will need to incorporated as per site conditions.					
d	BOQ is for one classroom, in total there are 8 classrooms to be done.					